

NEET (2017) (QUESTION WITH ANSWER)

1. The vascular cambium normally gives rise to:

- (1) Secondary xylem
- (2) Periderm
- (3) Phelloderm ,
- (4) Primary phloem

Ans. (1)

2. Which of the following is made up of dead cells ?

- (1) Phellem
- (2) Phloem
- (3) Xylem parenchyma
- (4) Collenchyma

Ans. (1)

3. Double fertilization is exhibited by :

- (1) Fungi
- (2) Angiosperms
- (3) Gymnosperms
- (4) Algae

Ans. (2)

4. With reference to factors affecting the rate of photosynthesis, which of the following statements is not correct ?

- (1) C_3 plants respond to higher temperatures with enhanced photosynthesis while C_4 plants have much lower temperature optimum
- (2) Tomato is a greenhouse crop which can be grown in CO_2 enriched atmosphere for higher yield
- (3) Light saturation for CO_2 fixation occurs at 10% of full sunlight
- (4) Increasing atmospheric CO_2 concentration up to 0.05% can enhance CO_2 fixation rate

Ans. (1)

5. Which statement **is wrong** for Krebs' cycle?

- (1) During conversion of succinyl CoA to succinic acid, a molecule of GTP is synthesised
- (2) The cycle starts with condensation of acetyl group (facetyl CoA) with pyruvic acid to yield citric acid

(3) There are three points in the cycle where NAD^+ is reduced to $NADH + H^+$

(4) There is one point in the cycle where FAD^+ is reduced to $FADH_2$

Ans. (2)

6. Coconut fruit is a:

- (1) Nut
- (2) Capsule
- (3) Drupe
- (4) Berry

Ans. (3)

7. The morphological nature of the edible part of coconut is :

- (1) Endosperm
- (2) Pericarp
- (3) Perisperm
- (4) Cotyledon

Ans. (1)

8. Identify the **wrong** statement in context of heartwood.

- (1) It conducts water and minerals efficiently
- (2) It comprises dead elements with highly lignified walls
- (3) Organic compounds are deposited in it
- (4) It is highly durable

Ans. (1)

9. The final proof for DNA as the genetic material came from the experiments of:

- (1) Avery, Mcleod and McCarty
- (2) Hargobind Khorana
- (3) Griffith
- (4) Hershey and Chase

Ans. (4)

10. Which one of the following is related to Ex-situ conservation of threatened animals and plants ?

- (1) Amazon rainforest
- (2) Himalayan region
- (3) Wildlife Safari parks
- (4) Biodiversity hot spots

Ans. (3)

11. During DNA replication, Okazaki fragments are used to elongate

- (1) The leading strand away from replication fork.
- (2) The lagging strand away from the replication fork
- (3) The leading strand towards replication fork
- (4) The lagging strand towards replication fork

Ans. (2)

12. Which of the following statements is correct ?

- (1) The ascending limb of loop of Henle is permeable to water.
- (2) The descending limb of loop of Henle is permeable to electrolytes
- (3) The ascending limb of loop of Henle is impermeable to water.
- (4) The descending limb of loop of Henle is impermeable to water.

Ans. (3)

13. Plants which produce characteristic" pneumatophores and show vivipary belong to: -

- (1) Psammophytes
- (2) Hydrophytes
- (3) Mesophytes ,
- (4) Halophytes ,

Ans. (4)

14. Zygotic meiosis is characteristic of:

- (1) Funaria
- (2) Chlamydomonas
- (3) Marchantia
- (4) Fucus

Ans. (2)

15. Which among the following are the smallest living cells, known without a definite cell wall, pathogenic to plants as well as animals and can survive without oxygen ?

- (1) Mycoplasma
- (2) Nostoc
- (3) Bacillus
- (4) Pseudomonas

Ans. (1)

16. A baby boy aged two years is admitted to play school and passes through a dental check-up. The dentist observed that the boy had twenty teeth. Which teeth were absent ?

- (1) Pre-molars

- (2) Molars
- (3) Incisors
- (4) Canines

Ans. (1)

17. Capacitation occurs in :

- (1) Vas deferens
- (2) Female Reproductive tract
- (3) Rete testis
- (4) Epididymis

Ans. (2)

18. The genotypes of a Husband and Wife are $I^A I^B$ and $I^A i$.

Among the blood types of their children, how many different genotypes and phenotypes are possible ?

- (1) 4 genotypes; 3 phenotypes
- (2) 4 genotypes; 4 phenotypes
- (3) 3 genotypes; 3 phenotypes
- (4) 3 genotypes; 4 phenotypes

Ans. (1)

19. MALT constitutes about..... percent of the lymphoid tissue in human body.

- (1) 70%
- (2) 10%
- (3) 50%
- (4) 20%

Ans. (3)

20. Homozygous purelines in cattle can be obtained

- (1) mating of individuals of different breed.
- (2) mating of individuals of different species.
- (3) mating of related individuals of same breed.
- (4) mating of unrelated individuals of same breed.

Ans. (3)

21. The function of copper ions in copper releasing IUD's is:

- (1) They make uterus unsuitable for implantation.
- (2) They inhibit ovulation. ,
- (3) They suppress sperm motility and fertilising capacity of sperms.
- (4) They inhibit gametogenesis.

Ans. (3)

22. Which one of the following statements is not valid for aerosols ?

- (1) They cause increased agricultural productivity

(2) They have negative impact on agricultural land.

(3) They are harmful to human health

(4) They alter rainfall and monsoon patterns

Ans. (1)

23. Among the following characters, which one was not considered by Mendel in his experiments on pea ?

(1) Seed - Green or Yellow

(2) Pod - Inflated or Constricted

(3) Stem - Tall or Dwarf

(4) Trichomes - Glandular or non-glandular

Ans. (4)

24. A disease caused by an autosomal-primary non disjunction is :

(1) Turner's Syndrome

(2) Sickle Cell Anemia

(3) Down's Syndrome

(4) Klinefelter's Syndrome

Ans. (3)

25. Select the correct route for the passage of sperms in male frogs ?

(1) Testes → Vasa efferentia → Bidder's canal → Ureter → Cloaca

(2) Testes → Vasa efferentia → Kidney

Bidder's canal → Urinogenital duct → Cloaca

(3) Testes → Bidder's canal → Kidney → Vasa efferentia → Urinogenital duct → Cloaca

(4) Testes → Vasa efferentia → Kidney → Seminal Vesicle → Urinogenital duct → Cloaca

Ans. (2)

26. Which of the following cell organelles is responsible for extracting energy from carbohydrates to form ATP ?

(1) Chloroplast

(2) Mitochondrion

(3) Lysosome

(4) Ribosome

Ans. (2)

27. Match the following sexually transmitted diseases (Column - I) with their causative agent (Column - II) and select the correct option.

Column-I

(a) Gonorrhoea

(b) Syphilis

(c) Genital Warts

Column-II

(i) HIV

(ii) Neisseria

(iii) Treponema

(d) AIDS

(iv) Human Papilloma-Virus

Options :

(a) (b) (c) (d)

(1) (iv) (ii) (iii) (i)

(2) (iv) (iii) (ii) (i)

(3) (ii) (iii) (iv) (i)

(4) (iii) (iv) (i) (ii)

Ans. (3)

28. Out of 'X' pairs of ribs in humans only 'Y' pairs are true ribs. Select the option that correctly represents values of X and Y and provides their explanation:

(1) X = 24, Y = 7 True ribs are dorsally attached to vertebral column but are free on ventral side.

(2) X = 24, Y = 12 True ribs are Dorsally attached to vertebral column but are free on ventral side.

(3) X = 12, Y = 7 True ribs are Attached dorsally to vertebral column and ventrally to the sternum.

(4) X = 12, Y = 5 True ribs are Attached dorsally to vertebral column and sternum on the two ends.

Ans. (3)

29. Which ecosystem has the maximum biomass ?

(1) Pond ecosystem

(2) Lake ecosystem

(3) Forest ecosystem

(4) Grassland ecosystem

Ans. (3)

30. Viroids differ from viruses having :

(1) RNA molecules with protein coat

(2) RNA molecules without protein coat

(3) DNA molecules with protein coat

(4) DNA molecules without protein coat

Ans. (2)

31. Select the mismatch :

(1) Anabaena - Nitrogen fixer

(2) Rhizobium - Alfalfa

(3) Frankia - Alnus

(4) Rhodospirillum - Mycorrhiza

Ans. (4)

32. Good vision depends on adequate intake of carotene rich food

Select the best option from the following statements

- (1) Vitamin A derivatives are formed from carotene
- (2) The photopigments are embedded in the membrane discs of the inner segment
- (3) Retinal is derivative of Vitamin A.
- (d) Retinal is a light all absorbing part of all the visual photopigments

Options :

- (1) (a) and (c) (2) (b), (c) and (d)
- (3) (a) and (b) (4) (a), (c) and (d)

Ans. (4)

33. Frog's heart when taken out of the body continues

Select the best option from the following statements

- (a) Frog is a poikilotherm
- (b) Frog does not have any coronary circulation
- (c) Heart is "myogenic" in nature.
- (d) Heart is autoexcitable.

Option :

- (1) (a) and (b) (2) (c) and (d)
- (3) Only (c) (4) Only (d)

Ans. (2)

34. If there are 999 bases in an RNA that codes for a protein with 333 amino acids and the base at position 901 is deleted such that the length of the RNA becomes 998 bases how many codons will be altered ?

- (1) 33 (2) 333
- (3) 1 (4) 11

Ans. (1)

35. Artificial selection to obtain cows yielding higher milk output represents

- (1) disruptive as it splits the population into two, one yielding higher output and the other lower output.
- (2) stabilizing followed by disruptive as it stabilizes the population to produce higher yielding cows.
- (3) stabilizing selection as it stabilizes this character in the population.
- (4) direction as it pushes the mean of the character in one direction

Ans. (1)

36. The hepatic portal vein drains blood to liver from

- (1) Kidneys (2) Intestine
- (3) Heart (4) Stomach

Ans. (2)

37. The water potential of pure water is :

- (1) More than zero but less than one
- (2) More than one
- (3) Zero
- (4) Less than zero

Ans. (3)

38. A temporary endocrine gland in the human body is :

- (1) Corpus luteum
- (2) Corpus allatum
- (3) Pineal gland
- (d) Corpus cardiacum

Ans. (1)

39. Presence of plants arranged into well defined vertical layers depending on their height can be seen best in :

- (1) Grassland
- (2) Temperate Forest
- (3) Tropical Savannah
- (4) Tropical Rain Forest

Ans. (4)

40. Mycorrhizae are the example of

- (1) Antibiosis (2) Mutualism
- (3) Fungistasis (4) Amensalism

Ans. (2)

41. Thalassaemia and sickle cell anemia are caused due to a problem in globin molecule synthesis. Select the correct statement.

- (1) Thalassaemia is due to less synthesis of globin molecules
- (2) Sickle cell anemia is due to a quantitative problem of globin molecules.
- (3) Both are due to a qualitative defect in globin chain synthesis.
- (4) Both are due to a quantitative defect in globin chain synthesis.

Ans. (1)

42. Which of the following are not polymeric ?

- (1) Polysaccharides
- (2) Lipids
- (3) Nucleic acids
- (4) Proteins

Ans. (2)

43. The region of Biosphere Reserve which is legally protected and where no human activity is allowed is known as :

- (1) Transition zone
- (2) Restoration zone
- (3) Core zone
- (4) Buffer zone

Ans. (3)

44. Which of the following RNAs should be most abundant in animal cells ?

- (1) m-RNA (2) mi-RNA
- (3) r-RNA (4) t-RNA

Ans. (3)

45. What is the criterion for DNA fragments movement on agarose gel during gel electrophoresis ?

- (1) Positively charged fragments move to farther end
- (2) Negatively charged fragments do not move
- (3) The larger the fragment size, the farther it moves
- (4) The smaller the fragment size, the farther it moves

Ans. (4)

46. In case of poriferans, the spongocoel is lined with flagellated cells called

- (1) choanocytes
- (2) mesenchymal cells
- (3) ostia
- (4) oscula

Ans. (1)

47. DNA replication in bacteria occurs :

- (1) Prior to fission
- (2) Just before transcription
- (3) During S phase
- (4) Within nucleolus

Ans. (1)

48. Lungs are made up of air-filled sacs, the alveoli. They do not collapse even after forceful expiration, because of:

- (1) Tidal Volume
- (2) Expiratory Reserve Volume
- (3) Residual Volume
- (4) Inspiratory Reserve Volume

Ans. (3)

49. An important characteristic that Hemichordates share with Chordates is :

- (1) pharynx with gill slits
- (2) pharynx without gill slits
- (3) absence of notochord
- (4) ventral tubular nerve cord

Ans. (1)

50. Asymptote in a logistic growth curve is obtained when:

- (1) $K > N$
- (2) $K < N$
- (3) The value of 'r' approaches zero
- (4) $K = N$

Ans. (4)

51. The association of histone H1 with a nucleosome indicates :

- (1) The DNA is condensed into a Chromatin Fibre.
- (2) The DNA double helix is exposed
- (3) Transcription is occurring
- (4) DNA replication is occurring

Ans. (1)

52. Fruit and leaf drop at early stages can be prevented. by the application of

- (1) Auxins
- (2) Gibberellic acid
- (3) Cytokinins
- (4) Ethylene

Ans. (1)

53. Which of the following represents order of 'Horse'

- (1) Caballus
- (2) Ferus
- (3) Equidae
- (4) Perissodactyla,.

Ans. (4)

54. Which of the following are found in extreme saline conditions ?

- (1) Cyanobacteria (2) Mycobacteria
- (3) Archaeobacteria (4) Eubacteria

Ans. (3)

55. Alexander Von Humbolt described for the first time:

- (1) Species area relationships
- (2) Population Growth equation
- (3) Ecological Biodiversity
- (4) Laws of limiting factor

Ans. (1)

56. Spliceosomes are **not** found in cells of:

- (1) Animals
- (2) Bacteria
- (3) Plants
- (4) Fungi

Ans. (2)

57. Which one of the following statements is **correct**, with reference to enzymes ?

- (1) Coenzyme = Apoenzyme + Holoenzyme
- (2) Holoenzyme = Coenzyme + Co-factor

- (2) Equisetum Homosporous
 (3) Pinus Dioecious
 (4) Cycas Dioecious

Ans. (3)

71. GnRH, a hypothalamic hormone, needed in reproduction, acts on:

- (1) posterior pituitary gland and stimulates secretion of oxytocin and FSH.
 (2) posterior pituitary gland and stimulates secretion of LH and relaxin.
 (3) anterior pituitary gland and stimulates secretion of LH and oxytocin.
 (4) anterior pituitary gland and stimulates secretion of LH and FSH.

Ans. (4)

72. Which cells of 'Crypts of Lieberkuhn' secrete antibacterial lysozyme ?

- (1) Zymogen cells
 (2) Kupffer cells
 (3) Argentaffin cells
 (4) Paneth cells

Ans. (4)

73. Myelin sheath is produced by:

- (1) Oligodendrocytes and Osteoclasts
 (2) Osteoclasts and Astrocytes
 (3) Schwann Cells and Oligodendrocytes
 (4) Astrocytes and Schwann Cells

Ans. (3)

74. Which of the following components provides sticky character to the bacterial cell ?

- (1) Plasma membrane
 (2) Glycocalyx
 (3) Cell wall
 (4) Nuclear membrane

Ans. (2)

75. A gene whose expression helps to identify transformed cell is known as :

- (1) Plasmid
 (2) Structural gene
 (3) Selectable marker
 (4) Vector

Ans. (3)

76. Root hairs develop from the region of

- (1) Root cap
 (2) Meristematic activity
 (3) Maturation
 (4) Elongation

Ans. (3)

77. Life cycle of Ectocarpus and Fucus respectively are:

- (1) Haplodiplontic, Diplontic
 (2) Haplodiplontic, Haplontic
 (3) Haplontic, Diplontic
 (4) Diplontic, Haplodiplontic

Ans. (1)

78. Which of the following options gives the correct sequence of events during mitosis ?

- (1) condensation → crossing over → nuclear membrane disassembly → segregation telophase
 (2) Condensation → arrangement at equator → centromere division → segregation → telophase
 (3) condensation → nuclear membrane disassembly → crossing over → segregation → telophase
 (4) condensation → nuclear membrane disassembly → arrangement at equator → centromere division → segregation → telophase

Ans. (4)

79. The pivot joint between atlas and axis is a type of:

- (1) synovial joint (2) Saddle joint
 (3) Fibrous joint (4) cartilaginous joint

Ans. (1)

80. Phosphoenol pyruvate (PEP) is the primary CO₂ acceptor in :

- (1) C₂ plants (2) C₃ and C₄ plants
 (3) C₃ plants (4) C₄ plants

Ans. (4)

81. Hypersecretion of Growth Hormone in adults does not cause further increase in height, because

- (1) Bones lose their sensitivity to Growth Hormone in adults
 (2) Muscle fibres do not grow in size after birth.
 (3) Growth Hormone becomes inactive in adults.
 (4) Epiphyseal plates close after adolescence.

Ans. (4)

82. Which of the following is correctly matched for the product produced by them ?

- (1) Penicillium notatum : Acetic acid
 (2) Sacchromyces cerevisiae : Ethanol
 (3) Acetobacter aceti: Antibiotics
 (4) Methanobacterium : Lactic acid

Ans. (2)

83. A decrease in blood pressure/ volume will not cause the release of:

- (1) Aldosterone
- (2) ADH
- (3) Renin
- (4) Atrial Natriuretic Factor

Ans. (4)

84. Which of the following options best represents the enzyme composition of pancreatic juice ?

- (1) peptidase, amylase, pepsin, rennin
- (2) lipase, amylase trypsinogen, procarboxypeptidase
- (3) amylase, peptidase, trypsinogen, rennin
- (4) amylase, pepsin, trypsinogen, maltase

Ans. (2)

85. A dioecious flowering plant prevents both

- (1) Geitonogamy and xenogamy
- (2) Cleistogamy and xenogamy
- (3) Autogamy and xenogamy
- (4) Autogamy and geitonogamy

Ans. (4)

86. Which of the following facilitates opening of stomatal aperture ?

- (1) Radial orientation of cellulose microfibrils in the cell wall of guard cells
- (2) Longitudinal orientation of cellulose microfibrils in the cell wall of guard cells
- (3) Contraction of outer wall of guard cells
- (4) Decrease in turgidity of guard cells.

Ans. (1)

87. The DNA fragments separated on an agarose gel can be visualised after staining with :

- (1) Aniline blue
- (2) Ethidium bromide
- (3) Bromophenol blue
- (4) Acetocarmine

Ans. (2)

88. In Bougainvillea thorns are the modifications of:

- (1) Stem
- (2) Leaf
- (3) Stipules
- (4) Adventitious root

Ans. (1)

89. Anaphase Promoting Complex (APC) is a protein degradation machinery necessary for proper mitosis of animal cells. If APC is defective in a human cell, which of the following is expected to occur ?

- (1) Chromosomes will not segregate

(2) Recombination of chromosome arms will occur

(3) Chromosomes will not condense

(4) Chromosomes will be fragmented


Ans. (1)

90. Which of the following in sewage treatment removes suspended solids ?

- (1) Primary treatment
- (2) Sludge treatment
- (3) Tertiary treatment
- (4) Secondary treatment

Ans. (1)

91. Of the following which is the product formed when cyclohexanone undergoes aldolcondensation followed by heating?



Ans. (4)

92. The most suitable method of separation of 1 : 1 mixture of ortho and para-nitrophenols is:

- (1) Crystallisation
- (2) Steam distillation
- (3) Sublimation
- (4) Chromatography




Ans. (2)

93. The species, having bond angles of 120° is:

- (1) NCl_3
- (2) BCl_3
- (3) PH_3
- (4) ClF_3

Ans. (2)

94. The equilibrium constants of the following are:



The equilibrium constant (K) of the reaction

$2\text{NH}_3 < \frac{5}{2}\text{O}_2 \rightleftharpoons 2\text{NO} < 3\text{H}_2\text{O}$ will be

- (1) K_2K_3/K_1 (2) $K_2^3 K_3 / K_1$
 (3) $K_1K_3^3 / K_2$ (4) $K_2K_3^3 / K_1$

Ans. (4)

95. Which one is the wrong statement?

(1) Half filled and fully filled orbitals have greater stability due to greater exchange energy, greater symmetry and more balanced arrangement.

(2) The energy of 2s orbital is less than the energy of 2p orbital in case of hydrogen like atoms

(3) de-Broglie's wavelength is given } $N \frac{h}{mv}$

where m = mass of the particle, v = group velocity of the particle

(4) The uncertainty principle is $\Delta E \Delta t \geq \frac{h}{4\pi}$

Ans. (2)

96. HgCl_2 and I_2 both when dissolved in water containing I^- ions the pair of species formed is:

- (1) $\text{HgI}_4^{2-}, \text{I}_3^-$ (2) $\text{Hg}_2\text{I}_2, \text{I}^-$
 (3) $\text{HgI}_2, \text{I}_3^-$ (4) HgI_2, I^-

Ans. (1)

97. An example of a sigma bonded organometallic compound is:

- (1) Ferrocene
 (2) Cobaltocene
 (3) Ruthenocene
 (4) Grignard's reagent

Ans. (4)

98. The correct statement regarding electrophile is

(1) Electrophiles are generally neutral species and can form a bond by accepting a pair of electrons from a nucleophile

(2) Electrophile can be either neutral or positively charged species and can form a bond by accepting a pair of electrons from a nucleophile

(3) Electrophile is a negatively charged species and can form a bond by accepting a pair of electrons from a nucleophile

(4) Electrophile is a negatively charged species and can form a bond by accepting a pair of electrons from another electrophile

Ans. (2)

99. Name the gas that can readily decolourise acidified KMnO_4 solution

- (1) NO_2 (2) P_2O_5
 (3) CO_2 (4) SO_2





Ans. (4)

100. The heating of phenyl-methyl ethers with HI produces.

- (1) phenol
 (2) benzene
 (3) ethyl chlorides
 (4) iodobenzene

Ans. (1)

101. Which one is the most acidic compound?



Ans. (2)

102. For a given reaction, $\Delta H = 35.5 \text{ kJ mol}^{-1}$ and $\Delta S = 83.6 \text{ J K}^{-1} \text{ mol}^{-1}$. The reaction is spontaneous at : (Assume that ΔH and ΔS do not vary with temperature)

- (1) all temperatures (2) $T > 298 \text{ K}$
 (3) $T < 425 \text{ K}$ (4) $T > 425 \text{ K}$

Ans. (4)

103. The correct order of the stoichiometries of AgCl formed when AgNO_3 in excess is treated with the complexes $\text{CoCl}_3 \cdot 6\text{NH}_3$, $\text{CoCl}_3 \cdot 5\text{NH}_3$, $\text{CoCl}_3 \cdot 4\text{NH}_3$ respectively is:

- (1) $3\text{AgCl}, 2\text{AgCl}, 1\text{AgCl}$
 (2) $2\text{AgCl}, 3\text{AgCl}, 1\text{AgCl}$
 (3) $1\text{AgCl}, 3\text{AgCl}, 2\text{AgCl}$

(4) 3AgCl, 1AgCl, 2AgCl

Ans. (1)

104. In the electrochemical cell:

$Zn|ZnSO_4 (0.01 M)||CuSO_4 (1.0M)| Cu$, the emf of this Daniel cell is E_1 . When the concentration of $ZnSO_4$ is changed to 1.0 M and that of $CuSO_4$ changed to 0.01 M, the emf changes to E_2 . From the followings, which one is the relationship between E_1 and E_2 ? Given, $\frac{RT}{F} \approx 0.059$

- (1) $E_1 > E_2$
 (2) $E_2 \approx 0 \approx E_1$
 (3) $E_1 = E_2$
 (4) $E_1 < E_2$

Ans. (1)

105. Ionic mobility of which of the following alkali metal ions is lowest when aqueous solution of their salts are put under an electric field?

- (1) Rb (2) Li
 (3) Na (4) K

Ans. (2)

106. Correct increasing order for the wavelengths of absorption in the visible region for the complexes of Co^{3+} is:

- (1) $[Co(H_2O)_6]^{3+}, [Co(NH_3)_6]^{3+}, [Co(en)_3]^{3+}$
 (2) $[Co(NH_3)_6]^{3+}, [Co(en)_3]^{3+}, [Co(H_2O)_6]^{3+}$
 (3) $[Co(en)_3]^{3+}, [Co(NH_3)_6]^{3+}, [Co(H_2O)_6]^{3+}$
 (4) $[Co(H_2O)_6]^{3+}, [Co(en)_3]^{3+}, [Co(NH_3)_6]^{3+}$


Ans. (3)

107. Mixture of chloroxylenol and terpineol acts as :

- (1) antipyretic (2) antibiotic
 (3) analgesic (4) antiseptic

Ans. (4)

108. Predict the correct intermediate and product in the following reaction



- (1) A: $H_3C-C(=O)-CH_3$ B: $H_3C-C \equiv CH$
 (2) A: $H_3C-C(OH)=CH_2$ B: $H_3C-C(=O)-CH_3$
 (3) A: $H_3C-C(SO_3H)=CH_2$ B: $H_3C-C(=O)-CH_3$
 (4) A: $H_3C-C(OH)=CH_2$ B: $H_3C-C(SO_3H)=CH_2$

Ans. (2)

109. It is because of inability of ns^2 electrons of the valence shell to participate in bonding that:

- (1) Sn^{2+} and Pb^{2+} are both oxidising and reducing
 (2) Sn^{4+} is reducing while Pb^{4+} is oxidising
 (3) Sn^{2+} is reducing while Pb^{4+} is oxidising
 (4) Sn^{2+} is oxidising while Pb^{4+} is reducing

Ans. (3)

110. Which respect to the conformers of ethane, which of the following statements is true?

- (1) Both bond angle and bond length change
 (2) Both bond angles and bond length remains same
 (3) Bond angle remains same but bond length changes
 (4) Bond angle changes but bond length remains same

Ans. (2)

111. Which of the following pairs of compounds is isoelectronic and isostructural?

- (1) IBr_2^+, XeF_2 (2) IF_3, XeF_2
 (3) $BeCl_2, XeF_2$ (4) TeI_2, XeF_2

Ans. (1)

112. The reasons for greater range of oxidation states in actinoids is attributed to

- (1) 5f, 6d and 7s levels having comparable energies
 (2) 4f and 5d levels being close in energies
 (3) the radioactive nature of actinoids
 (4) actinoid contraction

Ans. (1)

113. Which of the following statements is not correct?

- (1) Blood proteins thrombin and fibrinogen are involved in blood clotting.
 (2) Denaturation makes the proteins more active
 (3) Insulin maintains sugar level in the blood of a human body.
 (4) Ovalbumin is a simple food reserve in egg-white.

Ans. (2)

114. Mechanism of a hypothetical reaction $X_2 + Y_2 \rightleftharpoons 2XY$ is given below

- (a) $X_2 \rightleftharpoons X + X$ (fast)
 (b) $X + Y_2 \rightleftharpoons XY + Y$ (slow)
 (c) $X + Y \rightleftharpoons XY$ (fast)

The overall order of the reaction will be

- (1) 0 (2) 1.5

(3) 1 (4) 2

Ans. (2)**115.** Which one of the following statements is not correct?

- (1) Enzymes catalyse mainly bio-chemical reactions.
 (2) Coenzymes increase the catalytic activity of enzyme.
 (3) Catalyst does not initiate any reaction.
 (4) The value of equilibrium constant is changed in the presence of a catalyst in the reaction at equilibrium.

Ans. (4)**116.** Concentration of the Ag^+ ions in a saturated solution of $\text{Ag}_2\text{C}_2\text{O}_4$ is $2.2 \times 10^{-4} \text{ mol L}^{-1}$. Solubility product of $\text{Ag}_2\text{C}_2\text{O}_4$ is:

- (1) 4.5×10^{-11} (2) 5.3×10^{-12}
 (3) 2.42×10^{-8} (4) 2.66×10^{-12}

Ans. (2)**117.** Which of the following is dependent on temperature?

- (1) Mole fraction
 (2) Weight percentage
 (3) Molality
 (4) Molarity

Ans. (4)**118.** If molality of the dilute solution is doubled the value of molal depression constant (K_f) will be:

- (1) tripled (2) unchanged
 (3) doubled (4) halved

Ans. (2)**119.** A gas is allowed to expand in a well insulated container against a constant external pressure of 2.5 atm from an initial volume of 2.50L to a final volume of 4.50L. The change in internal energy ΔU of the gas in joules will be:

- (1) - 505J (2) + 505J
 (3) 1136.25J (4) -500J

Ans. (1)**120.** A first order reaction has a specific reaction rate of 10^{-2} sec^{-1} . How much time will it take for 20g of the reactant to reduce to 5g?

- (1) 346.5 sec (2) 693.0 sec
 (3) 238.6 sec (4) 138.6 sec

Ans. (4)**121.** Pick out the correct statement with respect to $[\text{Mn}(\text{CN})_6]^{3-}$

- (1) It is d^2sp^3 hybridised and octahedral


- (2) It is dsp^2 hybridised and square planar
 (3) It is sp^3d^2 hybridised and octahedral
 (4) It is sp^3d^2 hybridised and tetrahedral

Ans. (1)**122.** Match the interhalogen compounds of column I with the geometry in column II and assign the correct code:**Column I Column II**

- (a) XX' (i) T-shape
 (b) XX_3^{H} (ii) Pentagonal bipyramidal
 (c) XX_5^{H} (iii) Linear
 (d) XX_7^{H} (iv) Square-pyramidal
 (v) Tetrahedral

Code:

- | | | | |
|-----------|-------|-------|------|
| (a) | (b) | (c) | (d) |
| (1) (v) | (iv) | (iii) | (ii) |
| (2) (iv) | (iii) | (ii) | (i) |
| (3) (iii) | (iv) | (i) | (ii) |
| (4) (iii) | (i) | (iv) | (ii) |

Ans. (4)**123.** The correct increasing order of the basic strength for the following compounds is

- (1) III < II < I (2) II < I < III
 (3) II < III < I (4) III < I < II

Ans. (2)**124.** Which of the following is a sink for CO ?

- (1) Oceans
 (2) Plants
 (3) Haemoglobin
 (4) Micro organisms present in the soil

Ans. (4)**125.** The element $Z = 114$ has been discovered recently it will belong to which of the following family/group and electronic configuration?

- (1) Oxygen family, $[\text{Rn}]5f^{14}6d^{10}7s^27p^4$
 (2) Nitrogen family, $[\text{Rn}]5f^{14}6d^{10}7s^27p^6$
 (3) Halogen family, $[\text{Rn}]5f^{14}6d^{10}7s^27p^5$
 (4) Carbon family $[\text{Rn}]5f^{14}6d^{10}7s^27p^2$


Ans. (4)**126.** Which of the following reactions is appropriate for converting acetamide to methanamine?

- (1) Stephens reaction
 (2) Gabriels phthalimide synthesis

- (3) Carbylamine reaction
 (4) Hoffmann hypobromamide reaction

Ans. (4)

127. Identify A and predict the type of reaction



Ans. (4)


128. A 20 litre container at 400 K contains $\text{CO}_2(\text{g})$ at pressure 0.4 atm and an excess of SrO (neglect the volume of solid SrO). The volume of the container is now decreased by moving the movable piston fitted in the container. The maximum volume of the container, when pressure of CO_2 attains its maximum value will be

(Given that : $\text{SrCO}_3(\text{s}) = \text{SrO}(\text{s}) + \text{CO}_2(\text{g})$, $K_p = 1.6 \text{ atm}$)

- (1) 4 litre (2) 2 litre
 (3) 5 litre (4) 10 litre

Ans. (3)

129. Consider the reactions:



Identify A, X, Y and Z

- (1) A-Ethanal, X-Ethanol, Y-But-2-enal, Z-Semicarbazone.
 (2) A-Ethanol, X-Acetaldehyde, Y-Butanone, Z-Hydrazone.
 (3) A-Methoxymethane, X-Ethanoic acid, Y-Acetate ion, Z-hydrazine.
 (4) A-Methoxymethane, X-Ethanol, Y-Ethanoic acid, Z-Semicarbazide.

Ans. (1)

130. Which one of the following pairs of species have the same bond order?

- (1) CN^- , CO (2) N_2 , O_2^+
 (3) CO , NO (4) O_2 , NO^+

Ans. (1)

131. In which pair of ions both the species contain S-S bond?

- (1) $\text{S}_2\text{O}_7^{2-}$, $\text{S}_2\text{O}_8^{2-}$
 (2) $\text{S}_4\text{O}_6^{2-}$, $\text{S}_2\text{O}_7^{2-}$
 (3) $\text{S}_2\text{O}_7^{2-}$, $\text{S}_2\text{O}_3^{2-}$
 (4) $\text{S}_4\text{O}_6^{2-}$, $\text{S}_2\text{O}_3^{2-}$

Ans. (4)

132. Extraction of gold and silver involves leaching with CN^- ion. Silver is later recovered by

- (1) zone refining
 (2) displacement with Zn
 (3) liquation
 (4) distillation

Ans. (2)

133. Which one is the correct order of acidity ?

- (1) $\text{CH} \equiv \text{CH} > \text{CH}_2 = \text{CH}_2 > \text{CH}_3 - \text{C} \equiv \text{CH} > \text{CH}_3 - \text{CH}_3$.
 (2) $\text{CH}_3 - \text{CH}_3 > \text{CH}_2 = \text{CH}_2 > \text{CH}_3 - \text{C} \equiv \text{CH} > \text{CH} \equiv \text{CH}$
 (3) $\text{CH}_2 = \text{CH}_2 < \text{CH}_3 - \text{CH} = \text{CH}_2 > \text{CH}_3 - \text{C} \equiv \text{CH} > \text{CH} \equiv \text{CH}$
 (4) $\text{CH} \equiv \text{CH} > \text{CH}_3 - \text{C} \equiv \text{CH} > \text{CH}_2 = \text{CH}_2 > \text{CH}_3 - \text{CH}_3$


Ans. (4)

134. Which is the incorrect statement ?

- (1) $\text{NaCl}(\text{s})$ is insulator, silicon is semiconductor, silver is conductor, quartz is piezo electric crystal.
 (2) Frenkel defect is favoured in those ionic compounds in which sizes of cation and anions are almost equal
 (3) $\text{FeO}_{0.98}$ has non stoichiometric metal deficiency defect.
 (4) Density decreases in case of crystals with Schottky's defect.

Ans. (2 and 3)

135. The IUPAC name of the compound



- (1) 5-methyl-4-oxohex-2-en-5al
- (2) 3-keto-2-methylhex-5-enal
- (3) 3-keto-2-methylhex-4-enal
- (4) 5-formylhex-2-en-3-one

Ans. (3)

136. The two nearest harmonics of a tube closed at one end and open at other end are 220Hz and 260 Hz. What is the fundamental frequency of the system ?

- (a) 30 Hz
- (b) 40 Hz
- (c) 10 Hz
- (d) 20 Hz


Ans. (4)

137. Two Polaroids P_1 and P_2 are placed with their axis perpendicular to each other. Unpolarised light I_0 is incident on P_1 : A third polaroid P_3 is kept in between P_1 and P_2 such that its axis makes an angle 45° with that of P_1 . The intensity of transmitted light through P_2 is :

- (1) $\frac{I_0}{8}$
- (2) $\frac{I_0}{16}$
- (3) $\frac{I_0}{2}$
- (4) $\frac{I_0}{4}$

Ans. (4)

138. An arrangement of three parallel straight wires placed perpendicular to plane of paper carrying same current 'I' along the same direction is shown in Fig. Magnitude of force per unit length on the middle wire 'B' is given by :



- (1) $\frac{\sqrt{2}\mu_0 i^2}{\pi d}$
- (2) $\frac{\mu_0 i^2}{\sqrt{2}\pi d}$
- (3) $\frac{\mu_0 i^2}{2\pi d}$
- (4) $\frac{2\mu_0 i^2}{\pi d}$

Ans. (2)

139. A gas mixture consists of 2 moles of O_2 and 4 moles of Ar at temperature T. Neglecting all vibrational modes, the total internal energy of the system is :

- (1) 9 RT
- (2) 11 RT
- (3) 4 RT
- (4) 15 RT

Ans. (2)

140. Two astronauts are floating in gravitational free space after having lost contact with their spaceship. The two will :

- (1) move away from each other
- (2) will become stationary
- (3) keep floating at the same distance between them.
- (4) move towards each other.

Ans. (3)

141. If θ_1 and θ_2 be the apparent angles of dip observed in two vertical planes at right angles to each other, then the true angle of dip θ is given by :

- (1) $\cot^2 \theta = \cot^2 \theta_1 - \cot^2 \theta_2$
- (2) $\tan^2 \theta = \tan^2 \theta_1 - \tan^2 \theta_2$
- (3) $\cot^2 \theta = \cot^2 \theta_1 + \cot^2 \theta_2$
- (4) $\tan^2 \theta = \tan^2 \theta_1 + \tan^2 \theta_2$

Ans. (3)

142. A 250 – Turn rectangular coil of length 2.1 cm and width 1.25 cm carries a current of $85 \mu A$ and subjected to a magnetic field of strength 0.85T. Work done for rotating the coil by 180° against the torque is :

- (1) $2.3 \mu J$
- (2) $1.15 \mu J$
- (3) $9.1 \mu J$
- (4) $4.55 \mu J$

Ans. (3)

143. Radioactive material 'A' has decay constant ' 8λ ' and material 'B' has decay constant ' λ '. Initially they have same number of nuclei. After what time, the ratio of number of nuclei of material 'B' to that 'A' will be $\frac{1}{e}$?

- (1) $\frac{1}{8\lambda}$
- (2) $\frac{1}{9\lambda}$
- (3) $\frac{1}{\lambda}$
- (4) $\frac{1}{7\lambda}$

Ans. (None)

144. In an electromagnetic wave in free space the root mean square value of the electric field is $E_{rms} = 6V/m$. The peak value of the magnetic field is :

- (1) $0.70 \times 10^{-8} T$
- (2) $4.23 \times 10^{-8} T$

- (3) $1.41 \times 10^{-8} T$
- (4) $2.83 \times 10^{-8} T$

Ans. (4)

145. The acceleration due to gravity at a height 1 km above the earth is the same as at a depth d below the surface of earth. Then :

- (1) $d = \frac{3}{2} \text{ km}$ (2) $d = 2 \text{ km}$
- (3) $d = \frac{1}{2} \text{ km}$ (4) $d = 1 \text{ km}$

Ans. (2)

146. The given electrical network is equivalent to :



- (a) NOR gate (2) NOT gate
- (3) AND gate (4) OR gate

Ans. (1)

147. The bulk modulus of a spherical object is 'B'. If it is subjected to uniform pressure 'p', the fractional decrease in radius is :

- (1) $\frac{3p}{B}$ (2) $\frac{p}{3B}$
- (3) $\frac{p}{B}$ (4) $\frac{B}{3p}$

Ans. (2)

148. Suppose the charge of a proton and an electron differ slightly. One of them is $-e$, the other $(e + \Delta e)$. If the net of electrostatic force and gravitational force between two hydrogen atoms placed at a distance d (much greater than atomic size) apart is zero, then Δe is of the order of [Given mass of hydrogen $m_h = 1.67 \times 10^{-27} \text{ kg}$]

- (1) 10^{-37} C (2) 10^{-47} C
- (3) 10^{-20} C (4) 10^{-23} C

Ans. (1)

149. A spring of force constant k is cut into lengths of ratio 1 : 2 : 3. They are connected in series and the new force constant is k' , Then they are connected in parallel and force constant is k'' . The $k' : k''$ is :

- (1) 1 : 11 (2) 1 : 14
- (3) 1 : 6 (4) 1 : 9

Ans. (1)

150. The x and y coordinates of the particle at any time are $x = 5t - 2t^2$ and $y = 10t$

respectively, where x and y are in meters and t in seconds. The acceleration of the particle at $t = 2 \text{ s}$ is :

- (1) -4 m/s^2 (2) -8 m/s^2
- (3) 0 (4) 5 m/s^2


Ans. (1)

151. Consider a drop of rain water having mass 1g falling from a height of 1 km. It hits the ground with a speed of 50 m/s. Take 'g' constant with a value 10 m/s^2 . The work done by the (i) gravitational force and the (ii) resistive force of air is :

- (1) (i) 100J (ii) 8.75J
- (2) (i) 10J (ii) -8.75 J
- (3) (i) -10 J (ii) -8.25 J
- (4) (i) 1.25J (ii) -8.25 J

Ans. (2)

152. Two blocks A and B of masses $3m$ and m respectively are connected by a massless and inextensible string. The whole system is suspended by a massless spring as shown in figure. The magnitudes of acceleration of A and B immediately after the string is cut, are respectively :



- (1) g, g (2) $\frac{g}{3}, \frac{g}{3}$
- (3) $g, \frac{g}{3}$ (4) $\frac{g}{3}, g$

Ans. (3)

153. A particle executes linear simple harmonic motion with an amplitude of 3cm. When the particle is at 2cm from the mean position, the magnitude of its velocity is equal to that of its acceleration. Then its time period in seconds is :

- (1) $\frac{4\pi}{\sqrt{5}}$ (2) $\frac{2\pi}{\sqrt{3}}$
- (3) $\frac{\sqrt{5}}{\pi}$ (4) $\frac{\sqrt{5}}{2\pi}$

Ans. (1)

154. Two discs of same moment of inertia rotating about their regular axis passing through centre and perpendicular to the plane of disc with angular velocities ω_1 and ω_2 . They are brought into contact face to face coinciding the axis of rotation. The expression for loss of energy during this process is :

- (1) $I(\omega_1 - \omega_2)^2$ (2) $\frac{I}{8}(\omega_1 - \omega_2)^2$
 (3) $\frac{1}{2}I(\omega_1 + \omega_2)^2$ (4) $\frac{1}{4}I(\omega_1 - \omega_2)^2$

Ans. (4)

155. The resistance of a wire is 'R' ohm. If it is melted and stretched to 'n' times its original length, its new resistance will be :

- (1) n^2R (2) $\frac{R}{n^2}$
 (3) nR (4) $\frac{R}{n}$

Ans. (1)

156. A spherical black body with a radius of 12cm radiates 450 watt power at 500K. If the radius were halved and the temperature doubled, the power radiated in watt would be

- (1) 1000 (2) 1800
 (3) 225 (4) 450

Ans. (2)

157. The photoelectric threshold wavelength of silver is $3250 \times 10^{-10}m$. The velocity of the electron ejected from a silver surface by ultraviolet light of wavelength $2536 \times 10^{-10}m$ is :

- (Given $h = 4.14 \times 10^{-15} eVs$ and $c = 3 \times 10^8 ms^{-1}$)
 (1) $\approx 61 \times 10^3 ms^{-1}$ (2) $\approx 0.3 \times 10^6 ms^{-1}$
 (3) $\approx 6 \times 10^5 ms^{-1}$ (4) $\approx 0.6 \times 10^6 ms^{-1}$

Ans. (3)

158. A beam of light from a source L is incident normally on a plane mirror fixed at a certain distance x from the source. The beam is reflected back as a spot on a scale placed just above the source L. When the mirror is rotated through a small angle θ , the spot of the light is found to move through a distance y on the scale. The angle θ is given by :

- (1) $\frac{x}{2y}$ (2) $\frac{x}{y}$
 (3) $\frac{y}{2x}$ (4) $\frac{y}{x}$

Ans. (3)

159. A rope is wound around a hollow cylinder of mass 3 kg and radius 40 cm. What is the angular acceleration of the cylinder if the rope is pulled with a force of 30 N ?

- (a) 25 rad/s² (b) 5m/s²
 (c) 25 m/s² (d) 0.25 rad/s²


Ans. (1)

160. One end of string of length l is connected to a particle of mass 'm' and the other end is connected to a small peg on a smooth horizontal table. If the particle moves in circle with speed 'v', the net force on the particle (directed towards center) will be (T represents the tension in the string)

- (1) $T - \frac{mv^2}{l}$ (2) Zero
 (3) T (4) $T + \frac{mv^2}{l}$

Ans. (3)

161. Thermodynamic processes are indicated in the following diagram.




Match the following

- | Column-1 | Column-2 |
|-----------------|----------------|
| (P) Process I | (a) Adiabatic |
| (Q) Process II | (b) Isobaric |
| (R) Process III | (c) Isochoric |
| (S) Process IV | (d) Isothermal |
- (1) P → c, Q → d, R → b, S → a
 (2) P → d, Q → b, R → a, S → c
 (3) P → a, Q → c, R → d, S → b
 (4) P → c, Q → a, R → d, S → b

Ans. (4)


162. A physical quantity of the dimensions of length that can be formed out of c, G and $\frac{e^2}{4\pi\epsilon_0}$ is [c is velocity of light, G is universal constant of gravitation and e is charge]:



- (1) 800 kg m^{-3} (2) 928 kg m^{-3}
 (3) 650 kg m^{-3} (4) 425 kg m^{-3}

Ans. (2)

171. Figure shows a circuit that contains three identical resistors with resistance $R = 9.0\Omega$ each, two identical inductors with inductance $L = 2.0 \text{ mH}$ each, and an ideal battery with emf $\epsilon = 18\text{V}$. The current 'i' through the battery just after the switch closed is,.....



- (1) 2 A (2) 0 ampere
 (3) 2mA (4) 0.2A

Ans. (None)

172. The de-Broglie wavelength of a neutron in thermal equilibrium with heavy water at a temperature T (Kelvin) and mass m, is :

- (1) $\frac{2h}{\sqrt{3mkT}}$ (2) $\frac{2h}{\sqrt{mkT}}$
 (3) $\frac{h}{\sqrt{mkT}}$ (4) $\frac{h}{\sqrt{3mkT}}$

Ans. (4)


173. Which one of the following represents forward bias diode?

- (1)
- (2)
- (3)



Ans. (3)

174. Two rods A and B of different materials are welded together as shown in figure. Their thermal conductivities are K_1 and K_2 . The thermal conductivity of the composite rod will be :



- (1) $K_1 + K_2$ (2) $2(K_1 + K_2)$
 (3) $\frac{K_1 + K_2}{2}$ (4) $\frac{3(K_1 + K_2)}{2}$

Ans. (3)

175. A carnot engine having an efficiency of $\frac{1}{10}$

as heat engine, is used as a refrigerator. If the work done on the system is 10 J, the amount of energy absorbed from the reservoir at lower temperature is:

- (1) 99J (2) 100J
 (3) 1J (4) 90J

Ans. (4)

176. In a common emitter transistor amplifier the audio signal voltage across the collector is 3V. The resistance of collector is $3k\Omega$. If current gain is 100 and the base resistance is $2k\Omega$, the voltage and power gain of the amplifier is:

- (1) 150 and 15000 (2) 20 and 2000
 (3) 200 and 1000 (4) 15 and 200

Ans. (1)

177. Preeti reached the metro station and found that the escalator was not working. She walked up the stationary escalator in time t_1 . On other days, if she remains stationary on the moving escalator, then the escalator takes her up in time t_2 . The time taken by her to walk up on the moving escalator will be:

- (1) $\frac{t_1 t_2}{t_2 + t_1}$ (2) $t_1 - t_2$
 (3) $\frac{t_1 + t_2}{2}$ (4) $\frac{t_1 t_2}{t_2 - t_1}$

Ans. (1)

178. A thin prism having refracting angle 10° is made of glass of refractive index 1.42. This prism is combined with another thin prism of glass of refractive index 1.7. This combination produces dispersion without deviation. The refracting angle of second prism should be:

- (1) 8° (2) 10°
(3) 4° (4) 6°

Ans. (4)

179. A long solenoid of diameter 0.1m has 2×10^4 turns per meter. At the centre of the solenoid, a coil of 100 turns and radius 0.01 m is placed with its axis coinciding with the solenoid axis. The current in the solenoid reduces at a constant rate to 0A from 4A in 0.05s. If the resistance of the coil is $10\pi^2\Omega$, the total charge flowing through the coil during this time is:

- (1) $32\mu\text{C}$ (2) $16\pi\mu\text{C}$
(3) $32\pi\mu\text{C}$ (4) $16\mu\text{C}$

Ans. (1)

180. Two cars moving in opposite directions approach each other with speed of 22m/s and 16.5m/s respectively. The driver of the first car blows a horn having a frequency 400Hz. The frequency heard by the driver of the second car is [velocity of sound 340m/s]:

- (1) 411 Hz (2) 448 Hz
(3) 350 Hz (4) 361 Hz

Ans. (2)